# CHEMPROCIDE



INDUSTRIAL/INSTITUTIONAL · HOSPITAL · FOOD PROCESSING · BARN ACTIVE INGREDIENT: Didecyl dimethyl ammonium chloride: **7.5% w/w** 

#### DIRECTIONS FOR USE

#### For Sanitizing, Disinfecting and **Deodorizing Hard, Non-porous Surfaces**

- 1. Prepare use-solution according to chart below
- 2. Clean area with good detergent.
- 3. Rinse with clean water.
- 4. Apply use-solution by spray, brush, or dipping.
- 5. Rinse with potable water where indicated.

For surfaces and/or objects that may come into direct contact with children at the mouthing stage of development, a rinse with potable water is recommended.

Do not contaminate food during the use and storage of the product.

### For Animal Housing Area Use:

- Remove all animals/poultry and their feed from premises prior to disinfection;
- Remove all heavy soil, such as urine and fecal matter, from surfaces and objects prior to disinfection;
- Empty all feeding and watering appliances prior to disinfection; and
- Following disinfection. do not house animals/poultry until areas have been ventilated.
- All surfaces and/or objects that will contact feed or drinking water should be rinsed with potable water before reuse.

#### For Footbaths Use:

1. Prepare use-solution according to chart below. 2. Allow a minimum of 30 seconds contact time 3. Do not rinse.

- For mould and mildew control on tile. wood, concrete and painted surfaces, use 30 ml Chemprocide per litre of water.
- 1. Clean surfaces prior to application. 2. Apply sufficient use-solution to soak surface, using spray or brush. Let stand 10 minutes.
- 3. Do not rinse. Repeat application every 15-20 days or as necessary to maintain control.

#### **Microbicidal Properties**

DISINFECTION	Amt/Litre
Staphylococcus aureus	4 mL
Pseudomonas aeruginosa	8 mL
Salmonella choleraesuis	4 mL
Human Coronavirus Strain 229E	8 mL

#### SANITIZATION Amt/Litre Staphylococcus aureus 2 67 ml Escherichia coli

Kills Human Coronavirus and is likely to kill the SARS-CoV-2 (the virus that causes COVID-19)

This product is not to be used as a sterilant/highlevel disinfectant on any surface or instrument that: (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

accordance with the instructions on the label.

#### **KEEP OUT OF REACH OF CHILDREN**

#### READ THE LABEL BEFORE USING **KEEP OUT OF REACH OF CHILDREN**

**DANGER:** Corrosive. Causes severe skin burns and eye damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Toxic if swallowed. Use in a well-ventilated area. Avoid breathing spray mist, wear mask to prevent the inhalation of the mist. Wear protective gloves/clothing and eye/face protection while handling the concentrate. Do not mix with other

DIN 00568236

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FIRST AID: Have the product container or label and Drug Identification Number (DIN) with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. STORAGE: Store tightly closed in a cool dry, place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. DISPOSAL: Dispose of contents and/or container in accordance with local regulations 1. Triple or pressure rinse the container thoroughly and add the rinsings to the treatment site. 2. Follow local instruction for any required additional cleaning of the container prior to its disposal.

- 3. Make the container unsuitable for further use. 4. Dispose of the container in accordance with local requirements.
- 5. For information on the disposal of unused, unwanted product, contact the provincial regulatory agency or the manufacturer in case of a spill and for CLEAN-UP of spills.

Manufactured by: Pace Solutions Corp. #142 -766 Cliveden Pl



FAX: (604) 521-5927 **Ouestions? Comments?** 1-800-799-6211 pacesolutions.com

#### **Transportation Emergencies:**

Canutec: (613) 996-6666 **Emergency Response Services:** Chemtrec: (800) 424-9300

#### **DANGER • POISON • CAUSES SEVERE SKIN BURNS AND EYE** DAMAGE



Net Contents:


18.9L 200L 1000L

Expiry Date:

Lot:

C0923

**Proudly Canadian** 



NOTE TO USER: This product is to be used only in

## chemicals or cleaning products.