

SAFETY DATA SHEET

Lift Off

5-10

1-5

SECTION 01: IDENTIFICATION				
Product identifier		LIFT OFF		
Other means of ide	ntification	2530		
Recommended use	;	General purpose cleaner Reserved for industrial and professional use.		
Recommended res	trictions			
Manufacturer				
Company name	Crown Chemica	Manufacturing Inc.	Supplier's Name	
Address	106 Vulcan Stre		Supplier's Address	
	Toronto, Ontario			
F	M9W 1L2			
Emergency Tel:	(905) 564-0904			
		SECTION 02: HAZ	ZARD(S) IDENTIFICATIO	N
Hazard Classificati	on Skin corrosio	n/irritation		Category 2
	Serious eye	damage/eye irritation		Category 1
Signal Word	Danger			
Hazard Statement		s Skin Irritation. s Serious Eye Damage		
Precautionary Statement P264: Wash hands thoroughly after handling. P262: Do not get in eyes, on skin, or on clothing. P303+361+353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if preser and easy to do - continue rinsing. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P310 Immediately call a POISON CENTER or doctor/physician. P363 Wash contaminated clothing before reuse. P403+233: Store in a well ventilated place. Keep container tightly closed.				
	SECTION	03: COMPOSITIO	N/INFORMATION ON ING	REDIENTS
Chem	nical Name		CAS Number	Concentration %
Sodium Metasilicate		1	0213-79-3	5-10
2-Butoxyethanol		1	11-76-2	5-10

SECTION 04: FIRST-AID MEASURES

9002-92-0

1300-72-7

Inhalation

Ethoxylated Alcohol

Sodium Xylene Sulfonate

Remove to fresh air. Get medical attention if symptoms occur.

Skin contact



extinguishing media

SAFETY DATA SHEET

Skin contact	Wash off immediately with plenty of water. Wash clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Еуе	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.
Ingestion	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	See Section 11 for more detailed information on health effects and symptoms.
	SECTION 05: FIRE-FIGHTING MEASURES
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable	None known.

Specific hazards	Not flammable or combustible.		
arising from the chemical			
Special protective equipment and precautions for firefighters	Wear full protective equipment including a self-contained breathing apparatus. Decomposition products may be toxic.		

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Do not get in eyes, on skin, or on clothing. Handle in accordance with good industrial hygiene and safety practice. Spilled material may present a slipping hazard.

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

SECTION 07: HANDLING AND STORAGE

	SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION
Conditions for safe storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid extreme temperatures. Keep out of the reach of children.
Precautions for safe handling	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not get in eyes, on skin or on clothing.

URE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits Overall Product: None established.



Lift Off

	Ingredient: 2-Butoxyethanol Agency: ACGIH TLV, Limit Type: TWA 20.0 ppm		
	Agency: OSHA, Limit Type: PEL 240 mg/m3 Sodium Metasilicate Agency: NIOSH TLV not established.		
Appropriate Engineering Controls	Effective exhaust ventilation system.		
Personal Protective Equipment	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.		
Gloves	Vinyl or Latex		
Respiratory	Not required for properly ventilated areas.		
Еуе	Wear eye protection/face protection.		
Clothing	Where contact is likely, wear appropriate chemical resistant equipment.		
SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES			
Odour	Slight solvent odour		
Physical State	Liquid		
Color	Blue		
Odour Threshold	No data available.		
рН	12.0 - 13.0		
Freezing Point (°C)	No data available.		
Initial Boiling Point (°C)	>100		
Flashpoint (°C)	No data available.		
Evaporation Rate	No data available.		
	No data available.		
Flammability			
Flammability Lower Explosive Limit	No data available.		

· _· ···· ··



	Lower Flammability Limit	No data available.		
	Upper Flammability Limit	No data available.		
	Vapour Pressure (mm)	No data available.		
	Vapour Density (Air = 1)	No data available.		
	Relative Density	>1.0		
	Solubility	Soluble		
	Partition coefficient (n- octanol/water)	No data available.		
		SECTION 10: STABILITY AND REACTIVITY		
	Auto Ignition Temp. (°C)	No data available.		
	Decomposition Temperature	No data available.		
	Viscosity	No data available.		
	Reactivity	This material is considered to be non reactive under normal use conditions.		
	Chemical Stability	Stable under normal conditions.		
Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not		Under normal conditions of storage and use, hazardous reactions will not occur.		
	Conditions to avoid	Extremes of temperature and direct sunlight.		
	Incompatible Materials	Strong oxidizing agents.		
	Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
		SECTION 11: TOXICOLOGICAL INFORMATION		
	Information on likely routes of exposure	Skin Contact Eye Contact Ingestion		
	Toxicological Information	Signs and Symptoms of Exposure		
		Based on test data and/or information on the components, this material may produce the following health effects: EYES: Causes irritation experienced as discomfort or pain, excess blinking and tear production, with redness and swelling of the conjunctiva.		
		SKIN: Brief contact may cause irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling.		
		······		

Lift Off



INHALATION: High vapor concentrations may be irritating to respiratory tract.

INGESTION: Gastrointestinal irritation, pain, nausea, and diarrhea.

Chronic Exposure : Health injuries are not known or expected under normal use.

Numerical Measures of Toxicity Aacute toxicity estimates (ATE) : no data available. Toxicity Respiratory or skin sensitization : no data available Carcinogenicity : no data available Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available

Numerical Measures Of Toxicity		
Hazardous Ingredients	LD ₅₀ /LC ₅₀ Specify Species and Route	
Sodium Silicate	LD ₅₀ (Oral, Rat) 1540mg/kg	
2-Butoxyethanol	LD ₅₀ (Oral, Rat) 560mg/kg	
Ethoxylated Alcohol	LD₅₀ (Oral, Rat) 4150mg/kg	

SECTION 12:	ECOLOGICAL	INFORMATION
-------------	------------	-------------

Ecotoxicity	No data available.	
Persistence and degradability	No data available.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available	
Other adverse effects	No data available.	
	SECTION 13: DISPOSAL CONSIDERATIONS	
Disposal methods	In accordance with municipal, provincial and federal regulations.	
SECTION 14: TRANSPORT INFORMATION		
UN number	Not regulated under TDG.	

TDC Classification

Lift Off



 TDG Classification
 N/AP

 Packing group
 N/AP

 Special Shipping Instructions
 None

SECTION 15: REGULATORY INFORMATION

Regulatory Information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

SECTION 16: OTHER INFORMATION

N/AP = Not Applicable N/AV = Not Available ACGIH : American Conference of Governmental Industrial Hygienists AIHA : American Industrial Hygiene Association CMRG : Chemical Manufacturer's Recommended Guidelines GHS: Globally Harmonized System HPR : Hazardous Products Regulations IARC: International Agency for Research on Cancer NIOSH: The National Institute for Occupational Safety and Health NTP : National Toxicology Program OSHA : United States Department of Labor - Occupational Safety and Health Administration PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value TWA: Time-Weighted-Average

Prepared By:

Crown Chemical Manufacturing Inc.

Revision Date March 22, 2022

DISCLAIMER: The information contained herein is based on information believed to be reliable. We make no warranties, expressed or implied, and assumes no liability with any use of this information.