



# **ServClean**

### SECTION 1: IDENTIFICATION 1.1 **Product identifier:** 29361 - SC GREEN OXY. DESTAINER Other means of identification: 29361 Recommended use of the chemical and restrictions on use: 1.2 Relevant uses: Fabric cleaning product. For professional users/industrial user only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 **Initial supplier identifier:** Charlotte Products Ltd. 2060 Fisher Drive K9J 6X6 Peterborough - Ontario - Canada Phone: 705-740-2880 - Fax: 705-745-1239 www.charlotteproducts.com Emergency phone number: Infotrac 1-800-535-5053 (North America), 011-1-352-323-3500 (International) 1.4 SECTION 2: HAZARD IDENTIFICATION 2.1 Classification of the substance or mixture: WHMIS 2015: Classification of this product has been carried out in accordance with Part 2 of Hazardous Products Regulations (SOR/2015-17 amended by SOR/2022-272) Ox. Liq. 1: Oxidising Liquid, Category 1, H271 Skin Corr. 1: Skin corrosion, Category 1, H314 STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335 2.2

### Label elements:

WHMIS 2015:

Danger



### Hazard statements:

Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidizer. Skin Corr. 1: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.

### **Precautionary statements:**

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina.

P370+P378: In case of fire: Use {0} to extinguish.

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

#### 2.3 Health and physical hazards not otherwise classified (HHNOC - PHNOC):

Not relevant

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Non-applicable

3.2 Mixtures:





### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Mixture composed of chemical products

### Components:

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

			Concentration	
C/	AS:	7722-84-1	Hydrogen peroxide solution Acute Tox. 4: H302+H332; Eye Dam. 1: H318; Ox. Liq. 1: H271; Skin Corr. 1A: H314; STOT SE 3: H335 - Danger	10 - <30 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST-AID MEASURES

### 4.1 Description of necessary measures:

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

### 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not relevant

### SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Use preferably water.

### Unsuitable extinguishing media:


Chemical extinguishers or foam.

#### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:





### SECTION 5: FIRE-FIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

**ServClean** 

MAY CAUSE FIRE OR EXPLOSION, STRONG OXIDISER. Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

AVOID ANY IGNITION SOURCE, as well as combustible and/or inflammable material. Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)


### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

5 °C
30 °C
6 Months

- CONTINUED ON NEXT PAGE -

Version: 1





### SECTION 7: HANDLING AND STORAGE (continued)

### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

ServClean

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

British Columbia - Occupational Health and Safety Regulation section 5.48 (Updated June 22, 2022):

Identification	Occupa	cupational exposure limits		
Hydrogen peroxide solution	TLV-TWA	1 ppm		
CAS: 7722-84-1	TLV-STEL			

ALBERTA - Occupational Health and Safety Code:

Identification	Occupational exposure limits		
Hydrogen peroxide solution	8-hour	1 ppm	1.4 mg/m <sup>3</sup>
CAS: 7722-84-1	15-minute		

### 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using chemical protection gloves

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer 's instructions. Use if there is a risk of splashing.
E	Bodily protection		

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.



### Safety data sheet According to WHMIS 2015 (amended by SOR/2022-272)

## 29361 - SC GREEN OXY. DESTAINER



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)							
	Pictogram	PPE			Remarks		
	Anti-slip work shoes						
				Replace before any evidence of deterioration.			
	F Additional emerge	ency measures					
	Emergency mea	isure Standards		Emergency measure	Standards		
	Emergency sho	ANSI Z358-1 ISO 3864-1:2011, ISO 3 wer		Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011		
	Environmental exp	osure controls:					
	spillage of both the p	roduct and its container. For addi mpounds (VOC) according to ompounds: 0 % weight	itional inform Canadian E	ation see subsection 7.1.D			
SECT		AND CHEMICAL PROPERTIE	ς				
9.1		sic physical and chemical pro					
9.1		tion see the product datasheet.	percies:				
	Appearance:						
	Physical state at 20 °	C:	Liquid				
	Appearance:		Transpare	nt			
	Colour:		Colorless Acre Not relevant *				
	Odour:						
	Odour threshold:						
	Volatility:						
	Boiling point or initial	boiling point and boiling range:	111 °C				
	Vapour pressure at 20	) °C:	1979 Pa				
	Vapour pressure at 50	) °C:	10492.15	10492.15 Pa (10.49 kPa)			
	Evaporation rate at 2	0 °C:	Not releva	nt *			
	Product description	1:					
	Density at 20 °C:		Not releva	nt *			
	Relative density at 20	°C:	1.105 - 1.	115			
	Dynamic viscosity at 2	20 °C:	1.02 cP				
	Kinematic viscosity at	20 °C:	0.91 mm²	/s			
	Kinematic viscosity at	40 °C:	Not releva	nt *			
	Concentration:		Not releva	nt *			
	pH:		4 - 5				
	Relative vapour densi	ty at 20 °C:	Not releva	nt *			
	value) 20 °C:	- n-octanol/water (logarithmic	Not releva				
	Solubility in water at	20 ºC:	Not releva				
	Solubility properties:		Not releva				
	*Not relevant due to the	nature of the product, not providing info	ormation proper	ty of its hazards.			

- CONTINUED ON NEXT PAGE -

Version: 1





SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	6 (continued)
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Flammability:	
	Flash Point:	Non Flammable (>93 °C)
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	Not relevant *
	Lower flammability limit:	Not relevant *
	Upper flammability limit:	Not relevant *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard class	ses:
	Explosive properties:	Not relevant *
	Oxidising properties:	H271 May cause fire or explosion; strong oxidizer.
	Corrosive to metals:	Not relevant *
	Heat of combustion:	Not relevant *
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not relevant *
	Refraction index:	Not relevant *
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Version: 1

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Avoid direct impact	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Avoid direct impact	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available





### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Hydrogen peroxide solution (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as hazardous for this effect. For more information see section 3. - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Not relevant

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Hydrogen peroxide solution	LD50 oral	1193 mg/kg (ATEi)	Rat
CAS: 7722-84-1	LD50 dermal	4060 mg/kg	Rat
	LC50 inhalation	11 mg/L (4 h)	Rat

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Version: 1

Date of compilation: 2023-10-10





### SECTION 12: ECOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### **12.1** Ecotoxicity (aquatic and terrestrial, where available):

#### Acute toxicity:

Identification	Concentration		Species	Genus
Hydrogen peroxide solution	LC50	16.4 mg/L (96 h)	Pimephales promelas	Fish
CAS: 7722-84-1	EC50	Not relevant		
	EC50	Not relevant		

### 12.2 Persistence and degradability:

Not available

#### 12.3 Bioaccumulative potential:

Not available

#### **12.4** Mobility in soil:

Identification	Absorption/desorption		Volatility	
Hydrogen peroxide solution	Кос	Not relevant	Henry	7.5E-4 Pa·m <sup>3</sup> /mol
CAS: 7722-84-1	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	Not relevant	Moist soil	Not relevant

### 12.5 Results of PBT and vPvB assessment:

Non-applicable

#### **12.6** Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Disposal methods:

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.

### Regulations related to waste management:

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

### SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

Version: 1

With regard to Transportation of Dangerous Goods Regulations (SOR/2001-286) including Amendments:

14.1	UN number: United Nations proper shipping name:	UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION
¥ 14.3	Transport hazard class(es): Labels:	5.1 5.1, 8
14.5		II No Iser needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
14.7	Physico-Chemical properties: Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	see section 9 Not relevant





on 14: Transpo	ORT I	NFORMATION (continued)	
Transport of dan	ngero	us goods by sea:	
With regard to IMI	DG 41-	-22:	
:	14.1	UN number:	UN2014
	14.2	United Nations proper shipping name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
5.1 8	14.3	Transport hazard class(es):	5.1
✓ *		Labels:	5.1, 8
		Packing group:	II
		Marine pollutant:	No
:	14.6		user needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
		Special regulations:	Not relevant
		EmS Codes:	F-H, S-Q
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
		Segregation group:	SGG16
:	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not relevant
Transport of dan	igero	us goods by air:	
With regard to IAT	TA/ICA	O 2024:	
	14.1	UN number:	UN2014
51 8 F	14.2	United Nations proper shipping name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
:	14.3	Transport hazard class(es):	5.1
		Labels:	5.1, 8
		Packing group:	II
	-	Environmental hazard:	No
:	14.6		user needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
		Physico-Chemical properties:	see section 9
:	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not relevant

### SECTION 15: REGULATORY INFORMATION

### **15.1** Safety, health and environmental regulations specific for the product in question:

- Domestic Substances List (DSL): Hydrogen peroxide solution (7722-84-1)

- Non-Domestic Substances List (NDSL): Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Canadian Environmental Protection Act, 1999

### SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17), amended by SOR/2020-38 and SOR/2022-272.

Texts of the legislative phrases mentioned in section 2:





SECTION 16: OTHER INFORMATION (continued)
H271: May cause fire or explosion; strong oxidizer. H335: May cause respiratory irritation. H314: Causes severe skin burns and eye damage.
Texts of the legislative phrases mentioned in section 3:
The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
WHMIS 2015:
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Eye Dam. 1: H318 - Causes serious eye damage. Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidizer. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.
Advice related to training:
Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://whmis.org/
Abbreviations and acronyms:
IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer
Date of compilation: 2023-10-10

Date of compilation: 2023-10-10

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 1