



SECTION 1: IDENTIFICATION 1.1 **Product identifier:** 29399 - SC 70% IPA Other means of identification: 29399 Recommended use of the chemical and restrictions on use: 1.2 Relevant uses: Hand sanitising gel Uses advised against: All uses not specified in this section or in section 7.3 1.3 **Initial supplier identifier:** Charlotte Products Ltd. 2060 Fisher Drive K9J 6X6 Peterborough - Ontario - Canada Phone: 705-740-2880 - Fax: 705-745-1239 www.charlotteproducts.com Emergency phone number: Infotrac 1-800-535-5053 (North America), 011-1-352-323-3500 (International) 1.4 SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture:

WHMIS 2015:

Classification of this product has been carried out in accordance with Part 2 of Hazardous Products Regulations (SOR/2015-17 amended by SOR/2022-272)

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225

STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

NULL

WHMIS 2015:

Dange



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264: Wash thoroughly after use.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.

Substances that contribute to the classification

propan-2-ol

Additional labeling:



DANGER





SECTION 2: HAZARD IDENTIFICATION (continued)

CCCR 2001 >> Sub-Category "Irritant": Eyes.

CAUTION. IRRITANT. MAY IRRITATE EYES. Do not get in eyes. Keep out of reach of children. FIRST AID TREATMENT If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. CCCR 2001 >> Sub-Category: Flammable FLAMMABLE CONTENTS MAY CATCH FIRE. Do not smoke. Use only in a well-ventilated area. Keep away from flames, such as a pilot light, and any object that sparks, such as an electric motor. Health and physical hazards not otherwise classified (HHNOC - PHNOC):

2.3

Not relevant

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Alcohols

Components:

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

	Identification	Chemical name/Classification			
CAG (7 (2)		propan-2-ol	60 490 %		
CAS:	67-63-0	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	60 - <80 %		

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES

4.1 **Description of necessary measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

Most important symptoms/effects, acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not relevant

SECTION 5: FIRE-FIGHTING MEASURES

ServClean

29399 - SC 70% IPA



SECTION 5: FIRE-FIGHTING MEASURES (continued)

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that should be avoided.





SECTION 7: HANDLING AND STORAGE (continued)

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks
 - It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

British Columbia - Occupational Health and Safety Regulation section 5.48 (Updated June 22, 2022):

Identification	Occupational exposure limits		
propan-2-ol	TLV-TWA	200 ppm	
CAS: 67-63-0	TLV-STEL	400 ppm	

ALBERTA - Occupational Health and Safety Code:

Identification	Occupa	ational exposure lir	nits
propan-2-ol	8-hour	200 ppm	492 mg/m ³
CAS: 67-63-0	15-minute	400 ppm	984 mg/m ³

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
۰_ T	Specific protection	o for the hands	

C.- Specific protection for the hands

Pictogram	PPE	Remarks				
Mandatory hand protection	Chemical protective gloves (Material: Linear low -density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	Replace the gloves at any sign of deterioration.				
As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.						





		ection				
-	Pictogram		PPE			Remarks
	Mandatory face	Panoram	ic glasses against splash/proje	ctions. Clear		y according to the manufacturer´s instruc e is a risk of splashing.
E - B	protection Bodily protection					
c	Pictogram		PPE			Remarks
	Fictogram		FFL			Keiliai KS
	Mandatory complete body protection	Antista	tic and fireproof protective clo	thing	Limited pro	tection against flames.
	Mandatory foot protection	Safety	/ footwear with antistatic and h resistant properties	neat	Replace boots a	at any sign of deterioration.
F A	Additional emerge	ency mea	asures			
Г	Emergency mea	asure	Standards		Emergency measure	Standards
	^ +		ANSI Z358-1 ISO 3864-1:2011, ISO 38	64-4:2011	©+ T	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20
In ac spilla Vola V	age of both the p a tile organic co /olatile organic co	osure c ne comm roduct a mpound ompound	unity legislation for the p nd its container. For addit Is (VOC) according to Is: 69.99 % weig	tional inforn Canadian ht	nation see subsection 7.1. Environmental Protect	
In ac spilla Vola V	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /.0.C. density at	ne comm roduct a mpound ompound 20 °C:	unity legislation for the p nd its container. For addit Is (VOC) according to	tional inforn Canadian ht (593.22 g,	the environment it is rec nation see subsection 7.1. Environmental Protect	.D
In ac spilla Vola V	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A	osure comm roduct a mpounc ompounc 20 °C:	unity legislation for the p nd its container. For addit is (VOC) according to is: 69.99 % weig 593.22 kg/m ³	tional inforn Canadian ht (593.22 g,	the environment it is rec nation see subsection 7.1. Environmental Protect	.D
In ac spilla Vola V V V V TION	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base	osure c ne comm roduct a mpounc pmpounc 20 °C: AND CH sic phys	unity legislation for the p nd its container. For addit is (VOC) according to is: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES	tional inforn Canadian ht (593.22 g,	the environment it is rec nation see subsection 7.1. Environmental Protect	.D
In ac spilla Vola V V TION TION	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base	osure c ne comm roduct a mpounc pmpounc 20 °C: AND CH sic phys	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inforn Canadian ht (593.22 g,	the environment it is rec nation see subsection 7.1. Environmental Protect	.D
In ac spilla Vola V V TION TION For c App	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base complete informa	osure c ne comm roduct a mpound ompound 20 °C: AND CH sic phys tion see	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inforn Canadian ht (593.22 g,	the environment it is rec nation see subsection 7.1. Environmental Protect	.D
In ac spilla Vola V V TION TION For c Appe Appe	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base complete informa earance: sical state at 20 or earance:	osure c ne comm roduct a mpound ompound 20 °C: AND CH sic phys tion see	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inform Canadian ht (593.22 g, (593.22 g) corties: Liquid Transpare	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	osure c ne comm roduct a mpound ompound 20 °C: AND CH sic phys tion see	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inform Canadian ht (593.22 g, (593.22 g) corties: Derties: Liquid Transpare Colorless	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base complete informa earance: bical state at 20 % earance: ur: ur:	osure c ne comm roduct a mpound ompound 20 °C: AND CH sic phys tion see	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inform Canadian ht (593.22 g, (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V TION For c Appe Color Odou Odou	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base complete informa earance: sical state at 20 % earance: ur: ur: ur:	osure c ne comm roduct a mpound ompound 20 °C: AND CH sic phys tion see	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inform Canadian ht (593.22 g, (593.22 g) corties: Coorties:	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	osure c ne comm roduct a mpound compound 20 °C: AND CH sic phys tion see C:	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop the product datasheet.	tional inform Canadian ht (593.22 g, (593.22 g) (593.22	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organic con /olatile organic con /.O.C. density at 9: PHYSICAL A prmation on base complete informa earance: dical state at 20 % earance: ur: ur: ur: ur: ur threshold: atility: ng point or initial	osure c ne comm roduct a mpound 20 °C: AND CH sic phys tion see C: boiling p	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop	tional inform Canadian ht (593.22 g, (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	the environment it is rec nation see subsection 7.1. Environmental Protect /L)	.D
In ac spilla Vola V V V V TION Info For c Appe Color Odou Odou Odou Odou Odou Odou Vola Boilir Vapo	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	boiling p 0 °C:	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop the product datasheet.	tional inform Canadian ht (593.22 g, (593.22 g) (590 Coloriess Alcohol Not releva 87 °C 3482 Pa	ent *	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V O dou O dou V O dou V O dou V O dou V O dou V V O Z V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	boiling p 0 °C: boiling p 0 °C:	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop the product datasheet.	tional inform Canadian ht (593.22 g, (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	ent * Pa (17.83 kPa)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V apc V apc V apc V apc	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	boiling p 0 °C: boiling p 0 °C: 0 °C: 0 °C:	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop the product datasheet.	tional inform Canadian ht (593.22 g, (593.22 g) (590 Coloriess Alcohol Not releva 87 °C 3482 Pa	ent * Pa (17.83 kPa)	.D
In ac spilla Vola V V V V V V V V V V V V V V V V V V O d o U O d o V O d o V O d o V O d o V V V V V V V V V V V V V V V V V V	ironmental exp ccordance with the age of both the p atile organic con /olatile organicon /olatile organic con /ola	boiling p 0 °C: boiling p 0 °C: 0 °C: 0 °C:	unity legislation for the p nd its container. For addit is (VOC) according to ds: 69.99 % weig 593.22 kg/m ³ EMICAL PROPERTIES ical and chemical prop the product datasheet.	tional inform Canadian ht (593.22 g, (5) (5) (5) (5) (5) (5) (5) (5) (5) (5)	ent Pa (17.83 kPa) ant *	.D

Date of compilation: 2023-09-29 Revised: 2023-10-10

10 Version: 2 (Replaced 1)





SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	(continued)
	Relative density at 20 °C:	0.843 - 0.853
	Dynamic viscosity at 20 °C:	1.43 cP
	Kinematic viscosity at 20 °C:	1.69 mm²/s
	Kinematic viscosity at 40 °C:	Not relevant *
	Concentration:	Not relevant *
	pH:	Not relevant *
	Relative vapour density at 20 °C:	Not relevant *
	Partition coefficient — n-octanol/water (logarithmic value) 20 °C:	Not relevant *
	Solubility in water at 20 °C:	Not relevant *
	Solubility properties:	Not relevant *
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Flammability:	
	Flash Point:	20 °C
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	>399 °C
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard class	ses:
	Explosive properties:	Not relevant *
	Oxidising properties:	Not relevant *
	Corrosive to metals:	Not relevant *
	Heat of combustion:	Not relevant *
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not relevant *
	Refraction index:	Not relevant *
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable





SECTION 10: STABILITY AND REACTIVITY (continued)

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect):

- - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3)

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.





SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
	LC50 inhalation	72.6 mg/L (4 h)	Rat

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification		Concentration	Species	Genus
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioad	Bioaccumulation potential	
propan-2-ol	BCF	3	
CAS: 67-63-0	Pow Log	0.05	
	Potential	Low	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m ³ /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
	Surface tension	2.24E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.





SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations related to waste management:

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

SECTION 14: TRANSPORT INFORMATION

With regard to Transportation of Dangerous Goods Regulations (SOR/2				
, AL				
	14.2	United Nations proper shipping name:	ALCOHOLS, N.O.S. (propan-2-ol)	
	14.3	Transport hazard class(es):	3	
3	14.5	Labels:	3	
V	14.4	Packing group:	П	
		Environmental hazard:	No	
	14.6	14.6 Special precautions which a user needs to be aware of, or needs to comply with, i connection with transport or conveyance either within or outside their premises		
		Physico-Chemical properties:	see section 9	
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not relevant	
Transport of c	langero	us goods by sea:		
With regard to	IMDG 41	-22:		
	14.1	UN number:	UN1987	
	14.2	United Nations proper shipping name:	ALCOHOLS, N.O.S. (propan-2-ol)	
	14.3	Transport hazard class(es):	3	
$\langle - \rangle$		Labels:	3	
3	14.4	Packing group:	II	
V		Marine pollutant:	No	
	14.6		user needs to be aware of, or needs to comply with, in	
		-	conveyance either within or outside their premises	
		Special regulations:	274	
		EmS Codes:	F-E, S-D	
		Physico-Chemical properties:	see section 9 1 L	
		Limited quantities: Segregation group:	I L Not relevant	
	147	5 5 5 1		
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not relevant	
		· · · · · · · · · · · · · · · · · · ·		

Safety data sheet According to WHMIS 2015 (amended by SOR/2022-272)



29399 - SC 70% IPA



SECTION 14: TRANSPORT INFORMATION (continued)				
	14.1	UN number:	UN1987	
*	14.2	United Nations proper shipping name:	ALCOHOLS, N.O.S. (propan-2-ol)	
	14.3	Transport hazard class(es):	3	
3		Labels:	3	
•	14.4	Packing group:	II	
	14.5	Environmental hazard:	No	
	14.6	6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises		
		Physico-Chemical properties:	see section 9	
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not relevant	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- Domestic Substances List (DSL): propan-2-ol (67-63-0)
- Non-Domestic Substances List (NDSL): Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Canadian Environmental Protection Act, 1999

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17), amended by SOR/2020-38 and SOR/2022-272.

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H225: Highly flammable liquid and vapour.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

WHMIS 2015:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://whmis.org/

Abbreviations and acronyms:







SECTION 16: OTHER INFORMATION (continued)

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 2023-09-29 Revised: 2023-10-10

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.